PARCEL SCALE S170



Brand: Scaleson

- Separate display for standing or wall mounting
- Large stable platform
- Maximum load 60 kg, division10 g
- Easy-to-read LC display with backlight



Product Description

Due to the separate display, the weight display is not covered even when weighing very large parcels. The terminal can be permanently mounted on a wall or flexibly placed on work tables or shelves. The connecting cable between the weighing platform and the display is 3 m long and rolled to avoid messy cable routing. The parcel scales are ideally suited for use in post offices, in shipping and receiving, in the office or for general commercial weighing.

The parcel scales are particularly convincing because they are easy to operate. The standard functions on/off, weighing and taring can be operated with only two keys. When taring, unwanted additional weights such as packages or containers are subtracted. The third key offers the option of switching units from kg to lbs or stabilising a possibly unstable weight value via the hold function. The substructure is made of coated steel and covered with a stainless steel platform. Shipping screws serve to protect the load cell during transport and can be removed before the first use. Adjustable feet support quick set-up and ensure good stability of the scale.

The display housing is made of stainless steel and can be hygienically cleaned just like the weighing platform. The display is a 7-segment display with 16.5 mm digits. The blue background lighting makes it easy to read the weight value at any time.

In addition to operation by mains adapter, the scale can be used with 4 x AAA batteries (not included) for mobile applications in battery mode.

Integrated RS-232 interface, so weight data can be transferred to a PC or computer systems. In addition, a wall/table bracket is included in the scope of delivery.

Functions:

Weighing, taring, hold, auto-off function

Low battery indicator, overload indicator

Wide range of applications...



In post offices



In dispatch



In goods receipt

The Scaleson parcel scale S170 is particularly suitable for use in post offices. Weigh your parcels ready for dispatch and determine the correct weight for the creation of the shipping label in no time at all.

Efficient workflows are essential, especially in shipping. After all, your customers want to receive the ordered goods as quickly as possible. The Scaleson parcel scale S170 supports you in this. Determine the weight of your parcels in just a few seconds and transmit the determined values to your shipping service provider.

The Scaleson parcel scale S170 can also be used for incoming goods. Used as a checkweigher, you can quickly and easily check the weight of the delivered goods. In this way, you can determine within a very short time whether there are any deviations.

The special feature of our parcel scale S170...



Easy to use

The Scaleson parcel scale S170 is particularly convincing due to its simple operation.
The standard functions on/off, weighing and taring can be operated with only two keys. When taring, unwanted additional weights such as packages or containers are subtracted.
The third key offers the option of switching units from kg to lbs or stabilising a possibly unstable weight value using the hold function.



Easy-to-read display

The easy-to-read LC display with a digit height of 18 mm allows you to read the weight values easily and conveniently.
The backlighting of the display makes it easy to read even in poor lighting conditions.



Anti-slip

The underside of the scale is equipped with four rubber feet. This always ensures a secure hold on a wide variety of surfaces.
The feet can be adjusted in height so that the scale can also be aligned on uneven surfaces.



Wall bracket included

The separate indicator allows you to weigh parcels that protrude above the platform. With the supplied bracket, the indicator can be securely attached to the wall with just two screws.
The 3 m long connection cable to the weighing platform ensures maximum flexibility.

Download User instructions

Technical Data

Artikelnummer	S170.05.060
Maximum load	60 kg
Division	10 g
Dimensions	305 x 305 x 69 mm
Dimensions Terminal	162 x 80 x 29 mm
Platform size	305 x 305 mm
Anzeige	LCD-Anzeige (hinterleuchtet)
Stromversorgung	9 V , 600 mA – Netzteil oder 4 x AAA-Batterien (Batterien nicht im Lieferumfang enthalten)
Wäge-Einheiten	kg, lb, lb:oz